



Traditional, halogen and construction lighting

## Woods PRO WORK LIGHTS

**WL40072**

- Provides 6000 lumens
- 72 watts
- 4000K Color Temperature
- Tough steel stand with non-slip feet
- 5ft 10/3 Cord

**WL40072S**

- Provides 6000 lumens
- 72 watts
- 4000K Color Temp
- Adjustable height steel tripod with non-slip feet
- Steel base can be removed from tripod

**WL40236S**

- Provides 6000 lumens
- 72 watts
- 4000K Color Temp
- Adjustable height steel tripod with non-slip feet
- Quick release steel base

**WL40272S**

- Provides 12,000 lumens
- 144 watts
- 4000K Color Temp
- Adjustable height steel tripod with non-slip feet
- Quick release steel base

Model	Description	Beam Height (ft)	Beam Width (ft)	Mount Pick (Qty)	Lumens	IPC
WL40072	Woods Portable LED Work Light	10.7	6.6	6	6,000	09022983647
WL40072S	Woods Portable LED Work Light	12.4	7.9	6	6,000	09022983654
WL40096	Woods Portable LED Work Light	12.4	7.9	6	3,000	09022983662
WL40048	Woods Portable LED Work Light	14.9	10.7	6	4,000	09022983661
WL40072S	Woods Portable LED Work Light	14.9	10.7	6	6,000	09022983662
WL40072S	Woods Portable LED Work Light on a Tripod	69.5	34.8	2	6,000	09022983978
WL40236S	Woods Portable LED Dual Head Work Light on a Tripod	67.5	34.8	2	6,000	09022983978
WL40272S	Woods Portable LED Dual Head Work Light on a Tripod	67.5	34.8	2	12,000	09022982008

©2019 Southwire Company, LLC. All rights reserved. Registered Network & Trademark of Southwire Company, LLC.

Woods – cost effective lighting

## YELLOW JACKET RECHARGEABLE WORKLIGHTS

**RECHARGEABLE HANDHELD LIGHTS**

- Smooth dimming feature by holding down the power button
- Rechargeable magnetic base
- Built-in hanging hook
- Lithium-ion battery charges via mini DC
- 6000K color temperature

**HHL1030R 300 LUMEN RECHARGEABLE HANDHELD LIGHT**

- 300 - 30 lumens output
- Up to 10 hours of runtime
- IP64/NEMA7 rated
- Drop tested to 2 meters

**HHL1040R 400 LUMEN RECHARGEABLE HANDHELD LIGHT**

- 400 - 40 lumens flood light
- 80 lumens spot light
- Up to 10 hours of runtime
- Battery indicator display
- IP60 rated
- Drop tested to 1 meter

**HHL1060R 600 LUMEN RECHARGEABLE HANDHELD LIGHT**

- 600 - 60 lumens flood light
- 150 lumens spot light
- Up to 15 hours of runtime
- Battery indicator display
- IP64/NEMA7 rated
- Drop tested to 1.5 meters

**RECHARGEABLE WORKLIGHT**

**WL1010R 1000 LUMEN RECHARGEABLE WORK LIGHT**

- High and low lumen output levels
- Auxiliary USB output to charge other devices
- Up to 6 hours of runtime
- IP65 rated for outdoor use
- Swivel hook/stand
- Lithium-ion battery charges via micro-USB
- 5500K color temperature

**RECHARGEABLE CLAMPING WORKLIGHT**

**CL1170R 1700 LUMEN RECHARGEABLE WORK LIGHT**

- Clamping base
- 30-degree swivel head
- High and low lumen output levels
- Up to 7 hours of runtime
- PS4 rated electronic enclosure
- Battery level indicator
- Lithium-ion battery charges via mini DC
- 5000K color temperature


Yellow Jacket – cost effective rechargeables

## Southwire LIGHTING SOLUTIONS CATALOG

**BUILT FOR DURABILITY. BUILT FOR RELIABILITY. BUILT FOR WORK.**

SOUTHWIRE.COM

Full line – top quality LED, strings, area, and Cart Lights





- 12,000 Lumen Integrated LED Cage Light, Angled LED Panel
- Daisy chain



- 12,000 Lumen Integrated LED Economy Cage Light, Plug and Receptacle
- Daisy chain



- 100 and 150W
- 13,500 and 19,500 lumen
- IP65 – Protected from dust and water ingress
- Daisy chain
- SS Cage and integrated hook
- 45ft whips available

**CALL FOR PRICING!!!**

## LED Lighting - Strings



- Metal and plastic cage available
- LED bulbs available

### 18/3 LED STRING LIGHTS

- Each LED head delivers 1200 lumens
- Includes hanging clip for quick hanging
- NEMA 5-15R daisy chain receptacle
- 6,000 | 12,000 lumens total



- Patented – 700 lumen down and 100 lumen up light
- IP65 – Protected from dust and water ingress
- No bulbs to lose / -3 year warranty




- Each LED head delivers 2200 lumens
- 2000 Lumens Downward / 200 Lumens Upward
- 4-Way Mounting Loop
- NEMA 5-15R Daisy Chain Receptacle
- Rugged IP65 Rated Plastic Housings
- Heavy Duty 16/3 Cord



### 16/3 LED STRING LIGHTS

- Each LED head delivers 2500 lumens
- Includes hanging clip for quick hanging
- NEMA 5-15R daisy chain receptacle
- 12,500 | 25,000 lumens total
- Protective Steel Cage



**CALL FOR PRICING!!**



- 22,000 Lumen per head
- 30,000 Hour Rated
- 12FT 18/3 SJTW Power Cord
- Extendable mast up to 12ft.
- Wire Cages Included
- CETLUS listed for Wet Locations
- LED fixtures can be adjusted to different horizontal angles.
- The cart base can accept portable generators for remote applications.



- Soft diffused glare-free light
- Illuminates 11,000 sq. ft.
- Rated for wet locations
- Collapsible flame retardant fabric balloon and 9' tripod
- 15' 16/3 SJTOW cord with 5-15 plug with in-line switch
- Kit includes: tripod, LED lights head and 2 x fabric balloon covers

## Lighting – Other



- Rechargeable and corded
- Bluetooth compatible app
- 3-year warranty
- Protective metal roll bar
- Dimmable
- Battery Level Display



-Handhelds



-Trouble Lights



-Headlamps



-Permanent/Security



-Other

## READY2HANG LIGHTING PROGRAM

**INCREASE YOUR LIGHTING INSTALL EFFICIENCY**  
BY REDUCING INSTALL TIME WITH SOUTHWIRE'S READY2HANG LIGHTING PROGRAM.



Reduce job waste with eliminated packaging



Eliminate light fixture assembly time



Increase install speed with custom light fixtures with the perfect cord length



### PROGRAM DETAILS

\* Order minimum: 50+ pieces

**Service includes:**

- The Ready2Hang service does not extend lead times
- LED bulbs come fully installed to save you time
- Assembled fixtures are removed from cardboard boxes
- Safely shipped in easily removed bubble wrap packing

PRE-ASSEMBLED



WRAPPED



PACKAGE



UNPACK



UNWRAP



INSTALL

- saves packaging
- saves time on site unpackaging and install
- saves waste on site



## Project Details

- Floors: 6 Total
- Foot Candle Rating requested: 5 Foot Candles Minimum
- Calculation Height: 2.5 Feet
- Deck Height:

Floor 0: 13ft

Floor 1: 16ft


Floor 2: 18ft


Floor 3: 16ft

Floor 4: 16ft

Floor 5: 19ft

## Project QTY

Part Number	Image	Description	Lumens	QTY Floor 0	QTY Floor 1	QTY Floor 2	QTY Floor 3	QTY Floor 4	QTY Floor 5	Total Project QTY
T60100		150W T6 Lantern w/10ft male and 1ft female	13,000	37	206					243



First Floor Drawing


## Project Details: Floor 1

### Product Details



T60100  
 100W Lantern Temp Light  
 13,000 Lumens  
 LAYOUT QTY : 206 Units

### Foot candle map



### Lighting spacing Examples – North East

